Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L78	1483	(711/200,206,208).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 15:33
L79	0	L78 AND (((effective OR virtual OR logical) ADJ address\$2) AND translation ADJ table\$1 AND page ADJ size\$1 ADJ indicat\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/08/03 15:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	254602	@pd>"20060530"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:04
L2	25788	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:04
L3	4200	(variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:04
L4	3746	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:04
L5	414	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:04
L6	219468	PSI OR ((page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON ,	2006/08/03 14:04
L7	4027	(L4 OR L5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:04
L8	71	L2 SAME (L3 SAME L6) AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:04
L9	1	L1 AND L8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:07

L10	216562	PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR entr\$3 OR field\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:07
L11	1097	L2 AND L3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:07
L12	89	L11 AND (L10 near10 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:07
L13	68	L12 AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:07
L14	2	L1 AND L13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:10
L15	86	L11 AND (L10 near5 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:10
L16	66	L15 AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:10
L17	2	L1 AND L16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:10
L18	216440	PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:10
L19	51	L11 AND (L18 near5 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:10
L20	1	L1 AND L19	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:11

			,			
L21	22	(PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))) ADJ5 (based OR contingent OR correspond\$3 OR depend\$3) ADJ5 (page\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:11
L22	3	L1 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:12
L23	240496	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3 OR compar\$4) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR avoid\$3 OR abstain\$3 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3 OR restrict\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:12
L24	25788	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:12
L25	4200	(variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:12
L26	1097	L24 AND L25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:12
L27	414	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:12
L28	7	L26 AND L23 AND (L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:12
L29	0	L1 AND L28	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:18

						0000100100
L30	101	((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME L23	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:18
L31	3	L1 AND L30	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:27
L32	98117	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:27
L33	75	((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME L32	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:27
L34	3	L1 AND L33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:29
L35	3746	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:29
L36	222767	PSI OR ((each OR individual\$2 OR separate) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:29
L37	7	L36 AND (L24 SAME L25) AND (L35 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:29
L38	0	L1 AND L37	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:30
L39	12	L36 AND (L24 AND L25) AND (L35 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:30

8/3/2006 2:46:03 PM Page 4

L40	. 0	L1 AND L39	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:30
L41	483773	PSI OR ((each OR individual\$2 OR separate OR select\$3 OR choos\$3 OR every) near3 ((size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:30
L42	60	L41 AND (L24 SAME L25) AND (L35 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:30
L43	3	L1 AND L42	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:32
L44	386858	(base OR default OR initial OR preferred OR primary OR principal OR fundamental) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:32
L45	12	L44 SAME (L24 SAME L25) AND (L35 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:32
L46	0	L1 AND L45	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR ·	ON	2006/08/03 14:33
L47	· 58	L44 AND (L24 SAME L25) AND (L35 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:34
L48	3	L1 AND L47	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:34
L49	277	L24 AND (L32 WITH (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:34

						r
L50	72	L49 AND (L35 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:34
L51	1	L1 AND L50	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:36
L52	1589	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:36
L53	11	L52 AND L32 AND (L35 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:36
L54	0	L1 AND L53 .	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:38
L55	1046	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (EA OR entr\$3 OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:38
L56	3746	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:38
L57	414	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:38
L58	98117	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:38
L59	12	(L55 SAME L58) AND (L56 OR L57)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:38

			T	I	I	
L60	1	L1 AND L59	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:40
L61	950088	(base OR default\$2 OR initial\$2 OR principal\$2 OR fundamental\$2 OR small\$3) near5 (page\$1 OR siz\$3 OR magnitude\$1 OR dimension\$1 OR length\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:40
L62	163	(L61 near5 L41) AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:40
L63	29925	("711").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/03 14:40
L64	46	L62 AND L63	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:40
L65	3	L1 AND L64	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:43
L66	54051	(no OR none OR "not necessary" OR "not require" OR "not required" OR disabl\$3 OR prohibit\$3) near5 (translat\$4 OR decod\$3 OR map\$1 OR mapp\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:43
L67	139351	(identical\$2 OR equal\$2 OR exact OR "same") near5 (bit\$1 OR byte\$1 OR flag\$1 OR flagg\$3 OR tag\$1 OR tagg\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:43
L68	. 22	(L66 SAME L67) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:43
L69	0	L1 AND L68	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:43
L70	995244	@pd>"20051223"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:44

L71	8	L70 AND L47	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:44
L72	3	L1 AND L71	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:44
L73	373	translat\$4 near5 (enabl\$3 OR disabl\$3) near5 (bit\$1 OR byte\$1 OR tag\$1 OR tagg\$3 OR flag\$1 OR flagg\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:45
L74	11	L73 SAME ((TLB\$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR ERAT OR PTE OR (page ADJ table\$1)) near3 entr\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:45
L75		L1 AND L74	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:45
L76	19	(L73 SAME entr\$3) AND ((TLB\$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR ERAT OR PTE OR (page ADJ table\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:45
L77	0	L1 AND L76	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:45